VACCINE	Birth	1 Month	2 months	4 months	6 months	8 months	9 months	12 months	15 months	18 months	19-23 months	2-3 years	4-6 years	7-10 years	11-12 years	13-15 years	16 years	17-18 years
Respiratory syncytial virus (RSV-mAb [nirsevimab, clesrovimab])	1 dose depending on maternal RSV vaccination status (<8 months)					1 dose (8–19 months)												
Hepatitis B (HepB)	1st dose	2nd dose			3rd dose													
Rotavirus (RV): RV1 (2-dose series), RV5 (3-dose series)			1st dose	2nd dose	3rd dose*													
Diphtheria, tetanus, and acellular pertussis (DTaP <7 yrs)			1st dose	2nd dose	3rd dose				4th dose				5th dose					
Haemophilus influenzae type b (Hib)			1st dose	2nd dose	3rd dose			4th dose										
Pneumococcal conjugate (PCV15, PCV20)			1st dose	2nd dose	3rd dose			4th dose										
Inactivated poliovirus (IPV)			1st dose	2nd dose	3rd dose								4th dose					
COVID-19 (1vCOV-mRNA, 1vCOV-aPS)					1 or 2 doses**							Yearly based on medical necessity						
Influenza					1 or 2 doses annually***										1 dose annually (9 years and above)			
Measles, mumps, and rubella (MMR)								1st dose					2nd dose					

Effective Dates: 10/01/25, 10/01/26
Approval Dates: 09/17/25, 08/06/26

VACCINE	Birth	1 Month	2 months	4 months	6 months	8 months	9 months	12 months	15 months	18 months	19-23 months	2-3 years	4-6 years	7-10 years	11-12 years	13-15 years	16 years	17-18 years
Varicella (VAR)								1st dose					2nd dose					
Hepatitis A (HepA)								2 dose series										
Tetanus, diphtheria, and acellular pertussis (Tdap ≥7 yrs)															1 dose			
Human papillomavirus (HPV)															2 dose series			
Meningococcal ACWY															1st dose		2nd dose	
Meningococcal B																	1 dose	

This routine pediatric vaccine schedule is reflective of evidence-based guidelines around the recommended standard timing of child and adolescent vaccines. For further information on vaccine interval recommendations, as well as additional tables listing timings for catch-up vaccines and guidelines around specific medical indications and contraindications, please refer to the most current immunization tables which can be found at: https://downloads.aap.org/AAP/PDF/AAP-Immunization-Schedule.pdf

For adult vaccine coverage, refer to AMPM Policy 310-M.

* Rotavirus vaccination is a 2 or 3 dose series depending on the vaccine manufacturer. If any dose in the series is of unknown type, default to 3-dose series.

** 1-2 doses depending on COVID-19 vaccine manufacturer guidelines. See American Academy of Pediatrics (AAP) vaccine schedule for further guidance.

*** For ages 6 months to 8 years 2 doses of influenza are needed for the first year of vaccination only.